



Acme Sanitary Ware Co Ltd









Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong
 Tel: 2388 7171 Fax: 2710 8012
 E-mail: acme@acmesanitary.com.hk
 Website: www.acmesanitaryware.com.hk



Pure Freude
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (Germany) "Grohtherm 800" Chrome plated 1/2" thermostatic shower mixer	<div>Illustration/ Drawing</div> <div></div> <div></div> <div>    </div>
Dimensions	L305 x W73x H70 mm	
Model	34558000	
Finish / Material	Chrome Plated	
Country of origin	Germany	
Manufacturer	GROHE Limited	
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen	
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012	
E-mail	acme@acmesanitary.com.hk	
Website	www.acmesanitary.com.hk	
"Grohtherm 800" <u>1/2" Thermostatic shower mixer</u>		
<div></div> <ul style="list-style-type: none">• wall mounted• GROHE StarLight chrome finish• GROHE SafeStop safety button at 38 °C (calibration required)• GROHE SafeStop Plus optional temperature limiter at 43 °C included• GROHE TurboStat compact cartridge with wax thermoelement• integrated mixed water shut off• volume handle with GROHE EcoButton (economy button with individually adjustable economy stop)• ceramic headpart 1/2", 180°• shower bottom outlet 1/2"• dirt strainers• built-in non return valves• protected against backflow• S-unions• metal escutcheon• GROHE EcoJoy technology for less water and perfect flow		

Note: [YouTube HK \(GROHE Guide Installation\) https://www.youtube.com/watch?v=sV5aYWTbQgU](https://www.youtube.com/watch?v=sV5aYWTbQgU)

[YouTube HK \(GROHE Training Inner handle settings of a thermostat\) https://www.youtube.com/watch?v=sEroQTIBzVo&feature=youtu.be](https://www.youtube.com/watch?v=sEroQTIBzVo&feature=youtu.be)

* All information of the above is for the reference only. No prior notice is made if any changes.



Acme Sanitary Ware Co Ltd


Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong
 Tel: 2388 7171 Fax: 2710 8012
 E-mail: acme@acmesanitaryware.com.hk
 Website: www.acmesanitaryware.com.hk




Pure Freude
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET




SPARE PARTS



Pos.-nr.	Prod. description	Order-nr.
1	Temperature control handle	47981000
2	Fitting ring	47743000
3	Thermostatic compact cartridge 1/2"	47439000
4	Shut-off handle	47980000
5	Ceramic headpart, 1/2"	45346000
5.1	O-ring Ø 18.2 x Ø 1.7	0392400M
6	Non-return valve	08565000
7	Non-return valve	47189000
7.1	Dirt strainer	0726400M
7.2	Non-return valve	08565000
7.3	O-ring ø 17 x ø 2	0305500M
8	S-union	12075000
8.1	Seal	0138600M
8.2	Escutcheon	0221000M
9	Extension 3/4", 20 mm	0713000M*
10	Socket spanner	19332000*
11	Special spanner	19377000*
12	Thermostatic compact cartridge 1/2" for changed waterways	47175000*

* Optional accessories



Note:

* All information of the above is for the reference only. No prior notice is made if any changes.



水
V
Department

總

香港

48/F, Immigration, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (2) in WSD 3321/2020 T/J(181/2020)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

31 March 2020

Approval of "GROHE" Shower Mixer (General Acceptance No. C20200223)

Your letter ref. WRC/2155 dated 2 March 2020 refers.

Having considered the test report ref. J24984 issued on 19 February 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.


Name of Manufacturer: Grohe AG

Country of Origin: Portugal

Brand: Grohe

Details of Fitting: 1/2" Thermostatic shower mixer

Model: 34558XXX
(where the digits "XXX" denote the code of colour)

Body Markings: 

Expiry Date: 12 January 2025



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only