



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	



SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (Germany) "Eurosmart Cosmopolitan E" Infra-red electronic wall basin tap With Concealed mounting box; nominated flow rate 1.5 l/min in WELS Grade 1 ; Registration No. TN 23-0013
Dimensions	L232 x W120 x H195 mm
Model	36334SD0 (Basin Tap) 36337001 (Mounting Box) 403986040 (Aerator)
Finish	Stainless Steel
Manufacturer	GROHE Limited
Country of Origin	Thailand
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012
E-mail	acme@acmesanitary.com.hk
Website	www.acmesanitary.com.hk

Illustration/ Drawing

36334SD0 (Basin Tap)
 with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
 for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 with 403986040 Insert Faucet Aerator, Lime Green (maximum flow rate: approximately 1.89 litres at 4 bar, 0.5 gpm max) (PCA Spray - 0.5 gpm max (STD Size))
 stainless steel escutcheon, SuperSteel spout, projection 232 mm
 7 pre-set programs: auto flush, thermal disinfection, cleaning mode
 additional functions and precise settings by remote control 36407
 set for final installation for concealed fitting box 36336001/36337001

36337001 (Mounting Box)
 Eurosmart Cosmopolitan E Concealed Mounting Box
 wall installation, for installation with pre-mixed or cold water
 suitable for IR-sets for final installation, stop valve
 connection housing for power supply
 suitable for 36410000, 36334SD0, 36335SD0, 36273000
 allows for waterproofing of wall construction surrounding the
 concealed body, with sealing sleeve



* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TN 23-0013



自願參與用水效益標籤計劃 - 水龍頭
Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明
This is to certify that

將下列水龍頭在本計劃內註冊：
has registered the following water tap under this scheme :

牌子 / Brand	:	Grohe
型號 / Model	:	36337001 + 36334XXX + 403986040
種類 / Type	:	Non-mixing
原產地 / Country or Region Origin	:	Germany (Tap & Flow Controller)

XXX – denotes the code of colour

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	:	 滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	:	1 with additional merit*
耗水量 <i>Water Consumption</i>	:	1.5 公升/分鐘 <i>litres/minute</i>

*with additional merit of "Automatic closing mechanism"

簽發日期: 17 March 2023
Date of Issue:

 水務署
Water Supplies Department



水務署署長(林麗恒代行)
for Director of Water Supplies



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

7 Gloucester Road, Wan Chai, Hong Kong



本署檔號
Our ref.
來函檔號
Your ref.

2023 T/I(31/2023)

電話
Tel. :
傳真
Fax. : 2824 0578

6 February 2023



Approval of "GROHE" Sensor Tap (General Acceptance No. C20230048)

Your letter ref. C-WSD/0993 dated 10 January 2023 refers.

Having considered the test report ref. 210784PC210210B and 202535EN202542(5) issued on 23 September 2022 and 8 February 2021 by Fugro Technical Services Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Grohe AG

Country of Origin: Germany

Brand: Grohe

Details of Fitting: 1/2" Wall mounted sensor tap

Model: 36337001 + 36334XXX
(where "XXX" denotes the code of colour)

Body Markings: 

Expiry Date: 19 November 2025



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"A stop cock or gate valve must be installed at the upstream of the fitting for manual isolation of water supply." AND

"The main voltage operated sensor valve should comply with the electricity safety regulation for applications in bathroom, toilet etc."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only