

PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	Cobra 1/2" C.P. deck-mount tap for Hot & cold, w/ swivel spout in elbow action (HKWA Approved)	Illustration/ Drawing
Dimensions	Refer to drawing	O O O O O O O O O O O O O O O O O O O
Model	515-21	
Finish	Chrome Plated	H
Manufacturer	Cobra (South Africa)	
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Wilson Hung	
Contact Tel/Fax E-mail Website	(852) 2388-7171 / (852) 2710-8012 acme@acmesanitary.com.hk www.acmesanitary.com.hk	
		116 116 888 808 172' BSP

Note:	ı
	l
	l
	l
	l
	l
	l



水務署

Water Supplies Department

香港灣仔告士打道七號入境事務大樓

Immigration Tower, 7 Gloucester Road. Hong Kong

電子郵號 e-mail

wsdinfo@wsd.gov.hk

電 話 Telephone 2829 4367

圖文傳真 Facsimile

2824 0578

檔號

(5) in WSD 3321/15 Pt.1 T/J(682)

2 February 2016

Approval of "COBRA" Pillar Type Mixer

Your letters dated 15 December 2015 and 26 January 2016 refer.

Having considered test reports ref. BC0160118-2-MX issued on 22 January 2016, EN0151015-72, MS0151014-5, and MS0151014-6 issued on 30 November 2015 by the Castco Testing Centre Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Grohe Dawn Watertech

Country of Origin:

South Africa

Brand:

Cobra

Details of Fitting:

1/2" Elbow action pillar type mixer, chrome plated

body

Model:

515-21

Body Markings:

INDICE + INDICE logo

Expiry Date:

21 January 2021

This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless other specified.

For the use of the fitting in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms. K L FOK at tel. no. 2829 5657.

Yours faithfully,

(LAM Ching Man) for Water Authority

c.c. WSD 3321/1/82] - without catalogue E/CS(TS)1



515-21