




PROJECT	REF	REV	ITEM CODE	\bigcirc
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET



Note:

* All information of the above is for the reference only. No prior notice is made if any changes.



自顧參與用水效益標籤計劃 - 水龍頭 Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明 This is to certify that



Acme Sanitary Ware Co. Ltd.

將下列水龍頭在本計劃內註冊: has registered the following water tap under this scheme:

牌于	/ Brand	:	NOBILI	
型题	K / Model	:	AB87133N4 CR + 44.3051.000	
種类	й / Туре	:	Mixing	
原產地	/ Country or Region Origin	:	Italy	

在用水效益標籤上展示的標誌 Symbolic Presentation on the Water Efficiency Label	:	٥	滴水點 Water droplet(s)
用水效益级別 Water Efficiency Grade	:	1	
耗水量 Water Consumption	:	4.7	公升/分鐘 litres/minute

簽發日期: 6 August 2018 Date of Issue:

710

H

ľ

✓ 水務署 Water Supplies Department

-04




水務署署長(鍾兆榮代行) for Director of Water Supplies



本署檔號 *Our ref.* 来函檔號 *Your ref.* : (2) in WSD 3321/2021 T/J(1783/2021) 電話 *Tel. Fax.* 2824 0578

5 January 2022



Your letter ref. KHL-Let-211207-AB87133N4 dated 7 December 2021 refers.

Having considered the test report ref. J27057 issued on 30 November 2021 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

3/8" Single lever sink mixer

Name of Manufacturer: Carlo Nobili SpA Rubinetterie

Country of Origin:

Brand:

Nobili

Italy

Details of Fitting:

Model:

AB87133N4XX (where "XX" denote code of colour finish)

Body Markings:

NOBILI

Expiry Date:

5 October 2026



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

> "The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,

(Roger WONG) for Director of Water Supplies

Encl.

c.c.	WSD 3321/1/82] - without catalogue			
	ME/MC] - with soft copy only			