



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	Nobili (Italy) "Flag" Chrome plated sink mixer with pull out spout 2-jet hand shower with swivel spout (Height: 370mm); Nominal flow <b>5.6L/min</b> in WELS <b>Grade 2</b> ; Registration No. TM 18-0074	Illustration/ Drawing												
Model	FL96137/1 CR	  												
Standard	QAVR (100% made in italy)													
Dimensions	Height = 370 mm													
Finish	Chrome Plated													
Manufacturer	Nobili (Italy)													
Source	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen													
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012													
E-mail	acme@acmesanitary.com.hk													
Website	www.acmesanitary.com.hk													
	<ul style="list-style-type: none"> <li>· Single control</li> <li>· Chrome Finish</li> <li>· Swivel spout</li> <li>· Pull-out 2-jet hand shower</li> <li>· ø 3/8" stainless steel hose</li> </ul>													
	<table border="1" style="width: 100%; margin-top: 10px;"> <thead> <tr> <th>Dynamic flow pressure (kPa)</th> <th>50</th> <th>150</th> <th>250</th> <th>350</th> <th>500</th> </tr> </thead> <tbody> <tr> <td>Flow rate (l/min)</td> <td>2.60</td> <td>4.45</td> <td>5.80</td> <td>6.45</td> <td>6.85</td> </tr> </tbody> </table>	Dynamic flow pressure (kPa)	50	150	250	350	500	Flow rate (l/min)	2.60	4.45	5.80	6.45	6.85	
Dynamic flow pressure (kPa)	50	150	250	350	500									
Flow rate (l/min)	2.60	4.45	5.80	6.45	6.85									

**Note:** QAVR is the standard to prove the sink mixer 100% made in italy.

\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TM 18-0074



自願參與用水效益標籤計劃 - 水龍頭  
Voluntary Water Efficiency Labelling Scheme - Water Taps




茲證明  
This is to certify that

Acme Sanitary Ware Co. Ltd.

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme :

牌子 / Brand	:	NOBILI
型號 / Model	:	FL96137/1 CR
種類 / Type	:	Mixing
原產地 / Country or Region Origin	:	Italy

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	:		滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	:	2	
耗水量 <i>Water Consumption</i>	:	5.6	公升/分鐘 <i>litres/minute</i>

簽發日期：  
Date of Issue: 23 April 2018

 水務署  
Water Supplies Department



水務署署長(周世威代行)  
for Director of Water Supplies



水務署  
Water Supplies Department

總部 Headquarters  
香港灣仔告士打道七號入境事務大樓 48 樓  
48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong



本字  
Out  
來  
You.

3321/2022 T/J(822/2022)

電話  
Tel. :  
傳真  
Fax. : 2824 0578

29 September 2022



Approval of "NOBILI" Sink Mixer  
(General Acceptance No. C20220915)

Your letter ref. KHL-Let-20220714-FL961371XX dated 14 July 2022 and subsequent submissions received by this department up to 1 September 2022 refer.

Having considered the test report ref. J27933A issued on 30 June 2022 by Nutek Systems (HK) Ltd. and WRAS certificate, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.


**Name of Manufacturer:** Carlo Nobili SpA Rubinetterie

**Country of Origin:** Italy

**Brand:** Nobili

**Details of Fitting:** 3/8" Single lever sink mixer with 1 no. of flexible hose approved by UK's WRAS under ref. 2107803

**Model:** FL96137/1XX  
(where "XX" denotes the code of colour and finishes)

**Body Markings:** **NOBILI** 



**Expiry Date:** 31 July 2026

This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)  
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue  
ME/MC ] - with soft copy only