

Tel: 2388 7171 Fax: 2710 8012
E-mail: acme@acmesanitary.com.hk
Website: www. acmesanitaryware.com.hk



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions GROHE (Germany) "Eurosmart Illustration/ Drawing Cosmopolitan" Single-lever shower mixer; "GROHE StarLight" chrome plated finish Dimensions L188 x W155 x H163 mm Model 19383000 (Exposed Part) 33962000 (Concealed Body) Material Chrome Plated Country of Origin Germany Manufacturer **GROHE Limited** Supplier Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen Contact Tel/Fax (852) 2388-7171 / (852) 2710-8012 E-mail acme@acmesanitary.com.hk Website www.acmesanitary.com.hk set for final installation for for bath and shower 33 961 000 without finishing trim set 33 962 000 wall installation 33 964 000 **GROHE SilkMove** 46 mm ceramic cartridge without concealed body metal lever adjustable flow rate limiter GROHE StarLight chrome finish top and bottom outlet 1/2" escutcheon- and shaft-sealing cap included wall escutcheon diverter in set for final installation covered fixing clockwise thread 85-115 Ø 163fastening loops 125-155

Note:

<sup>\*</sup> All information of the above is for the reference only. No prior notice is made if any changes.





本署檔號 Our ref.

(2) in WSD 3321/2020 T/J(833/2020)

電話

來函檔號 Your ref. Tel. 傳真

傳真 : 2824 0578 Fax.

18 August 2020

## Approval of "GROHE" Shower Mixer (General Acceptance No. C20200681)

Your letter ref. WRC/2270 dated 6 July 2020 refers.

Having considered the test report ref. J24979 issued on 6 June 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Grohe AG

Country of Origin:

Germany

Brand:

Grohe

Details of Fitting:

1/2" Single lever shower mixer concealed body

Model:

33962000

**Body Markings:** 

GROHE

**Expiry Date:** 

19 January 2025





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue ME/MC ] - with soft copy only