



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

<p>Item Descriptions</p>	<p>GROHE (Germany) "Lineare" Chrome plated wall mounted basin mixer M-Size with concealed body; nominated flow rate <b>4.7 L/min</b> in WELS <b>Grade 1</b>; Registration No. TM 22-0119</p>	<p>Illustration/ Drawing</p>
<p>Dimensions</p>	<p>L176 x W149 x H66 mm</p>	
<p>Model</p>	<p>19409001 (Mixer) 23571000 (Concealed body)</p>	
<p>Finish</p>	<p>Chrome Plated</p>	
<p>Manufacturer</p>	<p>GROHE Limited</p>	
<p>Source</p>	<p>Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen</p>	
<p>Contact Tel/Fax</p>	<p>(852) 2388-7171 / (852) 2710-8012</p>	
<p>E-mail</p>	<p>acme@acmesanitary.com.hk</p>	
<p>Website</p>	<p>www.acmesanitary.com.hk</p>	
<p><b>"Lineare" 19409001 2-hole basin mixer M-Size</b></p> <ul style="list-style-type: none"> <li>· wall mounted</li> <li>· set for final installation for 23 571 000</li> <li>· without concealed body</li> <li>· metal escutcheon</li> <li>· metal lever</li> <li>· <b>GROHE StarLight</b> chrome finish</li> <li>· <b>GROHE EcoJoy</b> mousseur 5.7 l/min</li> <li>· <b>GROHE AquaGuide</b> adjustable mousseur</li> <li>· centre distance 110 mm</li> <li>· projection 149 mm</li> </ul>		<p><b>Single-lever mixer 1/2" , universal concealed body</b></p> <ul style="list-style-type: none"> <li>· for 2 hole basin mixer</li> <li>· wall installation</li> <li>· without finishing trim set</li> <li>· <b>GROHE SilkMove</b> 35 mm ceramic cartridge</li> <li>· adjustable flow rate limiter</li> <li>· with temperature limiter</li> <li>· spout can be positioned on the right or left</li> <li>· DR-brass</li> <li>· installation device</li> <li>· allows for waterproofing of wall construction surrounding the concealed body</li> <li>· with sealing sleeve</li> </ul>
		<p>19409DC1 <b>SuperSteel</b></p>

Note: [GROHE Lineare \(19409001\) unboxing](https://www.youtube.com/watch?v=MKjb7x_rEXc) [https://www.youtube.com/watch?v=MKjb7x\\_rEXc](https://www.youtube.com/watch?v=-ySHcxb16UI)  
[Grohe Lineare 19409001](https://www.youtube.com/watch?v=-ySHcxb16UI) <https://www.youtube.com/watch?v=-ySHcxb16UI>

\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TM 22-0119



自願參與用水效益標籤計劃 - 水龍頭  
Voluntary Water Efficiency Labelling Scheme - Water Taps




茲證明  
This is to certify that

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme :

牌子 / Brand	:	Grohe
型號 / Model	:	23571000 + 19409XX1 + 404230040
種類 / Type	:	Mixing
原產地 / Country or Region Origin	:	Germany (Mixer & Flow Controller)

XX – denotes the code of colour

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	:		滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	:	1	
耗水量 <i>Water Consumption</i>	:	4.7	公升/分鐘 <i>litres/minute</i>

簽發日期：  
Date of Issue: 10 June 2022

 水務署  
Water Supplies Department



水務署署長(林麗恒代行)  
for Director of Water Supplies



水務署  
Water Supplies Department

總部 Headquarters

告士打道七號入境事務大樓 48 樓

7 Gloucester Road, Wan Chai, Hong Kong



本署  
Our ref.  
來函檔號  
Your ref.

D 3321/2021 T/J(1368/2021)

電話 :  
Tel. :  
傳真 : 2824 0578  
Fax. :

18 October 2021



**Approval of "GROHE" Basin Mixer  
(General Acceptance No. C20211136)**

Your letter ref. WRC/2637 dated 31 August 2021 refers.

Having considered the test report ref. J26646A issued on 9 July 2021 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Grohe AG  
**Country of Origin:** Germany  
**Brand:** Grohe  
**Details of Fitting:** 1/2" Wall mounted basin mixer  
**Model:** 23571000 + 19409XX1  
(where "XX" denote the code of colour)  
**Body Markings:**   
**Expiry Date:** 30 May 2026



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(Roger WONG)  
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue  
ME/MC ] - with soft copy only