









Project: Proposed Schedule of Sanitary Ware and Fittings for No. SS L511 - 30-Classroom Primary School at Lin Cheung Road, Sham Shui Po (Vertical Demo Version)

Code	Description	Model No	Qty.	Supplier	Product Image	Specification Link
WC-01	American Standard (Thailand) "Acacia Evolution" Vitreous china solid back-to-wall double vortex washdown watercloset with soft-closing seat & cover; Aqua Ceramic & ComfortClean Technology ; 3/4.6 LPF in WELS Grade 1; Registration No.: WC 20-0010 W376mm x L555mm x H390mm	TF3229 + 640000S	59	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF3229_640000S_Grade1.pdf
WCS-01 + T-05	Inax (Japan) automatic chrome plated Toilet Sensor Flush Valve with manual button & 24 hours auto starts function W140mm x L160mm x H160mm	OKCH-500S	59	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/OKCH-500S_2024_WSD.pdf
WC-03	American Standard (Thailand) "Tonic New Wave" Close-coupled watercloset with universal trap; complied with BSEN997; 3.1/4.8 litres/cycle in WELS Grade 1; Registration No. WC 20-0045 W400mm x L689mm x H810mm	TF2102	6	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF2102_Grade1_WSD.pdf
WC-04	Welson (PRC) Stainless Steel Grade 316 Angle Stop Valve with Plastic Piston (1/2" Female threaded) for Sea Water with 12" plastic riser pipe	2738	6	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/2738_WSD.pdf





Project: Proposed Schedule of Sanitary Ware and Fittings for No. SS L511 - 30-Classroom Primary School at Lin Cheung Road, Sham Shui Po (Vertical Demo Version)

Code	Description	Model No	Qty.	Supplier	Product Image	Specification Link
WC-05	Multikwik (UK) straight water closet outlet connector	MKS2	65	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/MKS2.pdf
UR-01	American Standard (Thailand) "Contour" Vitreous china wall hung back inlet urinal bowl tested on BS5520:1977; test report J27032A; Water flush volume 1.5 litres/cycle in WELS Grade 1 ; Registration No. 1U 20-0004 W330mm x L330mm x H640mm	TF6727B	30	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//TF6727B_Grade1.pdf
UR-02	Inax (Japan) Vitreous China Urinal Partition W340mm x L105mm x H760mm	P1/BW1	36	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//P1BW1.pdf
US-01	Inax / Lixil (Japan) Built-in urinal sensor with black glass cover ; hydro-generated power ; battery operated ; Water flush volume 1.3 litres/cycle in WELS Grade 1 ; Registration No. 1U 18-0020 L140 x W115 x H115mm	AMU-132SM-HK	30	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//AMU-132SM-HK(Inax-Lixil)_Grade1_WSD.pdf

Project: Proposed Schedule of Sanitary Ware and Fittings for No. SS L511 - 30-Classroom Primary School at Lin Cheung Road, Sham Shui Po (Vertical Demo Version)

Code	Description	Model No	Qty.	Supplier	Product Image	Specification Link
WB-01	Star (Thailand) "Junior Curve" Vitreous china wall hung washbasin with single hole & overflow; BSEN 14688:2006; capable of carrying a static load of 150kg; test report J26109 W320mm x L450mm x H145mm	S-4408	8	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/S-4408.pdf
WB-02	Shires (UK) fireclay laboratory sink (Length: 595mm) W460mm x L595mm x H255mm	BFF6002WH	40	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/BFF6002WH.pdf
WB-03	American Standard (PRC) "Milano" Rectangular undercounter basin 540mm with overflow hole W385mm x L540mm x H210mm	WP-0488.000.04	5	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/WP-0488_000_04.pdf
SS-01	Idecor (PRC) 1.2mm thickness 304 Stainless Steel single bowl insert sink with waste fittings and overhole hole (Round Corners) W440mm x L540mm x H200mm	U1143	5	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/U1143.pdf





Project: Proposed Schedule of Sanitary Ware and Fittings for No. SS L511 - 30-Classroom Primary School at Lin Cheung Road, Sham Shui Po (Vertical Demo Version)

Code	Description	Model No	Qty.	Supplier	Product Image	Specification Link
T-02	American Standard (PRC) "Selectronic" Chrome plated casted spout sensor faucet; nominated flow rate 1.7 L/min in WELS Grade 1; Registration No. TN 22-0016	WF-8805.000.50	70	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//WF-8805_000_50_DC_Grade1_WSD.pdf
T-03	American Standard (PRC) "Ceraplan" chrome plated long lever basin mixer ; Nominal flow rate 5.1L/min in WELS Grade 2 ; Registration No. TM18-0281	CF-1261.105.50	6	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//CF-1261_105_50_Grade2_WSD.pdf
T-04	GROHE (Germany) "Minta" Chrome plated single lever sink mixer; Nominal flow rate 4.9L/Min in WELS Grade 1; Registration No. TM 18-0062 W140mm x L223mm x H309mm	32488000	45	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//32488000_64647040_Grade1_WSD.pdf
T-06	Welson (PRC) Chrome plated brass angle valve 1/2" x 3/8"	2729	107	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//2729_WSD.pdf





Project: Proposed Schedule of Sanitary Ware and Fittings for No. SS L511 - 30-Classroom Primary School at Lin Cheung Road, Sham Shui Po (Vertical Demo Version)

Code	Description	Model No	Qty.	Supplier	Product Image	Specification Link
T-07	EMCA (PRC) Chrome plated brass 1-1/4" basin waste slotted	EM9010.010	47	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM9010_010.pdf
T-08	EMCA (PRC) Chrome plated brass press-action waste with slot	EM9003.010	40	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM9003_010.pdf
T-09	Diethelm (PRC) 32mm plastic anti-syphon bottle P-trap (For PVC pipe) ; test repost J2558A	1010	47	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/1010.pdf
T-10	Diethelm (PRC) 40mm plastic anti-syphon bottle P-trap (For PVC pipe); test report J2558B	1010-1	45	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/1010-1.pdf




Project: Proposed Schedule of Sanitary Ware and Fittings for No. SS L511 - 30-Classroom Primary School at Lin Cheung Road, Sham Shui Po (Vertical Demo Version)

Code	Description	Model No	Qty.	Supplier	Product Image	Specification Link
M-01	Bobrick (USA) Toilet Tissue Dispenser W115mm x L271mm x H270mm	B-2890	66	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/B-2890.pdf
M-02	Bobrick (USA) Paper Towel Dispenser W100mm x L275mm x H355mm	B-262	33	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/B-262.pdf
M-04	Bobrick (USA) "Classic Series" Surface mounted waste receptacle W150mm x L355mm x H455mm	B-279	32	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/B-279.pdf
-	Bobrick (USA) Surface mounted sanitary napkin disposal W95mm x L190mm x H255mm	B-270	3	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/B-270.pdf

Project: Proposed Schedule of Sanitary Ware and Fittings for No. SS L511 - 30-Classroom Primary School at Lin Cheung Road, Sham Shui Po (Vertical Demo Version)

Code	Description	Model No	Qty.	Supplier	Product Image	Specification Link
GB-01	EMCA (Taiwan) Ø34 x 600mm long white ABS coated aluminium grip grab rail ; BS12:1978 & BS882:1973 ; capable of carrying a static loading test 150kg ; test report J17175 ; Antibacterial coating ; test report SN-00-233 ; complied with Barrier Free Access 2008 W72mm x L600mm x H38mm	EM7041.019	34	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//EM7041_019_TestReport.pdf
GB-02	EMCA (Taiwan) Ø34 x 750mm long white ABS coated aluminium hinged support handrail with anti-slip surface ; BS12:1978 & BS882:1973 ; capable of carrying a static loading test 150kg ; test report J17177 ; Antibacterial coating ; test report SN-00-233 ; complied with Barrier Free Access 2008 W104mm x L750mm x H204mm	EM7042.019	8	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//EM7042_019_TestReport.pdf
GB-03	EMCA (Taiwan) "DTPP" Ø34 mm 2U type ABS coated aluminium urinal grab bar ; GB 175-2007 ; capable of carrying a static loading test 150kg ; test report J24249r1 ; Antibacterial coating ; test report SN-00-233 ; complied with Barrier Free Access 2008 W551mm x L900mm x H600mm	EM7043.019-900	6	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//EM7043_019-900(new).pdf
M-06	Solomon (Taiwan) Automatic soap dispenser with aluminium frame and ABS black body W110mm x L118mm x H265mm	SSD-9329	9	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//SSD-9329.pdf

Project: Proposed Schedule of Sanitary Ware and Fittings for No. SS L511 - 30-Classroom Primary School at Lin Cheung Road, Sham Shui Po (Vertical Demo Version)

Code	Description	Model No	Qty.	Supplier	Product Image	Specification Link
M-07	American Standard (PRC) stainless steel high speed hand dryer with tray with sensor operated at rpm 30,000 in silver finish W141mm x L254mm x H407mm	CF-8019.000.99	9	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//CF-8019_000_99.pdf
M-08	EMCA (PRC) Wall mounted R100 round corner 5mm mirror with stainless steel frame in grade 304 & earth bonding hole ; protected with back film ; complied with Barrier Free Access 2008 (Amendments in June 2019) W30mm x L600mm x H1000mm	EM7045.097	6	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl//EM7045_097.pdf
M-09	ELKAY (USA) stainless steel wall mount low lead bottle filler sensor with electronic front and side bubbler push bar activation W486mm x L454mm x H992mm	LZS8WSSK	8	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/LZS8WSSK_dl.pdf

The above sanitary and fittings schedule is for the demonstration purpose. We are welcome to provide the tailor-made schedules for professionals as per site conditions

Please contact "**ACME PROJECT SALES TEAM**" for further inquiries

PRODUCT BRAND LIST



www.acmesanitary.com.hk



acme@acmesanitary.com.hk



(852) 5548 4366 (WhatsApp)

ACME OFFICE - PROJECT SALES TEAM

益美工程項目銷售部

Projects - Tenders, Residential and Commercial A&A works, ASD jobs, etc

Office Address : 1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong (Jordan MTR Station Exit B2)

Office Hours : Monday - Friday 9:00a.m. - 6:00p.m.
Saturday 9:00a.m. - 1:00p.m.

Contact Persons : Mr.Eric Wong / Mr.Don Yuen

Telephone : (852) 2388 7171

Fax : (852) 2710 8012

PART OF **LIXIL**

NOBILIS

Star
SANITARYWARE

Alessi

stern

EMCA

SIAMP

■ GEBERIT

SLOAN®

DELABIE

ANSPORN®

NEOPERL®

WDI

BOBRICK

mediclinics



Omoio

FASTDRY

M'ALPINE

SHIRES
BATHROOMS

SOLOMON

IDECOR

BUMIHAN

dyson

starmix