











Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for The Po Leung Kuk Lee Shau Kee Youth Oasis, Yuen Long (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
WC1 & WC2	Watercloset	American Standard (Thailand) "Tonic New Wave" Close-coupled watercloset with universal trap; complied with BSEN997; 3.1/4.8 litres/cycle in WELS Grade 1; Registration No. WC 20-0045 L689 x W400 x H810mm	TF2102	1236	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF2102_Grade1_WSD.pdf
WC3	Disabled Watercloset	American Standard (Thailand) "Tonic New Wave" Vitreous china close-coupled integrated real-P trap watercloset with disabled lever and top disabled-logo manual override button; Operating force of flushing control less than 22N ; test report J24270 ; complied with Barrier Free Access 2008; 6 LPF in WELS Grade 3; Registration No. WC 21-0167 W400mm x L690mm x H810mm	TF2102PD	29	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF2102PD_Grade3_WSD_22N_TEST.pdf
WC4	Plastic Angle Valve	QUEST (USA) 13mm plastic angle valve 1/2" Female threaded with riser pipe for sea water use	QV302/12C	1265	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/QV302_WSD.pdf
WB1	Above Counter washbasin	American Standard (PRC) "Concept" Vitreous china wall hung wash basin L400 x W360 x H159mm	WP-0254.001.04	1222	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/WP-0254_001_04.pdf
WB2	Under Counter washbasin	American Standard "Studio" Rectangular undercounter basin 540mm with overflow hole W385mm x L540mm x H210mm	WP-0488.000.04	16	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/WP-0488_000_04.pdf






Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for The Po Leung Kuk Lee Shau Kee Youth Oasis, Yuen Long (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
WB3	Wall hung washbasin	American Standard (Thailand) wall hung washbasin W350mm x L495mm x H189mm	TF-0945	29	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF-0945.pdf
WB4	Plastic Bottle Trap	Diethelm (PRC) 32mm plastic anti-syphon bottle P-trap (For PVC pipe)	1010	1267	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/1010.pdf
T1	Basin Faucet	American Standard (PRC) "Simplica" chrome plated basin mixer ; Nominal flow rate 4.9L/min in WELS Grade 1 ; Registration No. TM 18-0116 W45mm x L110mm x H145mm	CF-B201.101.50 (Mixer)	1222	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/CF-B201_101_50_Grade1_WSD.pdf
T2	Disable Faucet	American Standard (PRC) "Ceraplan" chrome plated long lever basin mixer ; Nominal flow rate 5.1L/min in WELS Grade 2 ; Registration No. TM18-0281	CF-1261.105.50	29	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/CF-1261_105_50_Grade2_WSD.pdf
T3	Bib tap	GROHE (Germany) "BauEdge" chrome plated Wall Mounted Basin Tap ; Nominal flow rate 3.1 L/min in WELS Grade 2 ; Registration No. TN 18-0065	20238000	2	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/20238000_Grade2_WSD.pdf






Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for The Po Leung Kuk Lee Shau Kee Youth Oasis, Yuen Long (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
T4	Kitchen Sink Faucet	American Standard "Minimalistic" chrome plated Super low-lead kitchen mixer with 240mm swivel spout for wide coverage; nominal flow rate 5L/Min in WELS Grade 1; Registration No. TM 17-0137 (No red and blue index)	WF-5608.501.5L (Mono)	1272	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/WF-5608_501_5L_G1_WSD.pdf
T5	Brass Angle Valve	American Standard (Thailand) chrome plated angle Stop 1/2 inch. x 1/2 inch.	A-4400S	5017	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/A-4400S_WSD.pdf
URL1	Urinal	Inax (Japan) Wall Hung urinal back inlet ; 1.5 litres/cycle in WELS Grade 1; Registration No. 1U 20-0022 W330mm x L330mm x H640mm	AU-431VAC/BW1	9	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/AU-431VAC_BW1_Grade1.pdf
URL2	Urinal Sensor	Inax / Lixil (Japan) Built-in urinal sensor with black glass cover ; hydro-generated power ; battery operated ; Water flush volume 1.3 litres/cycle in WELS Grade 1 ; Registration No. 1U 18-0020	AMU-132SM-HK	9	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/AMU-132SM-HK(Inax-Lixil)_Grade1_WSD.pdf
SH1	Shower mixer with silding rail	American Standard (PRC) "Neo Modern" chrome plated shower mixer ; nominated flow rate 8.6 l/min in WELS Grade 1; Registration No. SB 18-0086	CF-0712.701.50	1248	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/CF-0712_701_50_Grade1_WSD.pdf



Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for The Po Leung Kuk Lee Shau Kee Youth Oasis, Yuen Long (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
SK1	Cleaner Sink	Shires (UK) high back fireclay cleaner sink with waste grating and 12" high Stainless Steel leg & Bracket (Without screws) W380mm x L510mm x H535mm	740300010 + FT0100001	2	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/740300010_FT0100001_dl.pdf
SK2	Stainless steel sink	American Standard (PRC) Small single stainless steel undercounter kitchen sink W400mm x L430mm x H200mm	CF-X111.202.B5	1251	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/CF-X111_202_B5.pdf
SK3	Stainless steel sink	American Standard (PRC) Stainless steel single bowl upper-counter kitchen sink with waster & overflow W460mm x L730mm x H1979mm	CF-X170.1D2.B5	31	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/CF-X170_1D2_B5.pdf
DIS-MR	Disable Mirror	EMCA (PRC) wall mounted round corner mirror with stainless steel frame in grade 304 ; complied with Barrier Free Access 2008 (Amendments in June 2019) W600mm x L30mm x H1000mm	EM7045.097	29	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM7045_097.pdf
M2	Towel Rack	American Standard (PRC) towel shelf	WF-6589.908.50	2444	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/WF-6589_908_50.pdf

Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for The Po Leung Kuk Lee Shau Kee Youth Oasis, Yuen Long (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
M3	Hook	American Standard (PRC) robe hook	CF-1481.908.F5	3759	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/CF-1481_908_50.pdf
M4	Paper holder	American Standard (PRC) tissue holder	CF-6586.908.50	1248	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/CF-6586_908_50.pdf
M5	Hand dryer	American Standard (PRC) stainless steel high speed hand dryer sensor operated at rpm 30,000 in white finish W138mm x L250mm x H180mm	CF-8017.000.23	5	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/CF-8017_000_23.pdf
M8	Towel Rail	American Standard (PRC) "Seva" Towel holder	WF-6588.908.50	1248	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		https://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/WF-6588_908_50.pdf
M9	Cloth drying rod	EMCA (PRC) Stainless steel cloth drying rod (32mm diameter); length 2700mm	M8910A-32-2700	1281	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM8910A-32-2700.pdf

Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for The Po Leung Kuk Lee Shau Kee Youth Oasis, Yuen Long (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
M10	Curtain rod	EMCA(PRC) Stainless steel curtain rod (25mm diameter) length 940mm	EM8910A-25-940	1248	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM8910A-25-940.pdf
M11	Paper Dispenser	LIXIL / INAX (Japan) Stainless steel 304 wall mounted circle paper holder with satin finish W280mm x L120mm x H280mm	KF-12J	7	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/KF-12J.pdf

The above sanitary and fittings schedule is for the demonstration purpose. We are welcome to provide the tailor-made schedules for professionals as per site conditions
Please contact "**ACME PROJECT SALES TEAM**" for further inquiries




**保良局李兆基
青年綠洲**
(青年宿舍計劃)

PRODUCT BRAND LIST



www.acmesanitary.com.hk



acme@acmesanitary.com.hk



(852) 5548 4366 (WhatsApp)

ACME OFFICE - PROJECT SALES TEAM

益美工程項目銷售部

Projects - Tenders, Residential and Commercial A&A works, ASD jobs, etc

Office Address : 1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong (Jordan MTR Station Exit B2)

Office Hours : Monday - Friday 9:00a.m. - 6:00p.m.
Saturday 9:00a.m. - 1:00p.m.

Contact Persons : Mr.Eric Wong / Mr.Don Yuen

Telephone : (852) 2388 7171

Fax : (852) 2710 8012

PART OF **LIXIL**

NOBILIS



Alessi

stern

EMCA

SIAMP

■ GEBERIT

SLOAN®

DELABIE

ANSPORN®

NEOPERL®

WDI

BOBRICK

mediclinics



Omoio

FASTDRY

M'ALPINE



SOLOMON

IDECOR

BUMIHAN

dyson

starmix