













Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for Standard Wards of Baptist Hospital (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
WC1	Watercloset	American Standard (Thailand) "Acacia Evolution" Vitreous china solid back-to-wall double vortex washdown watercloset with soft-closing seat & cover; Aqua Ceramic & ComfortClean Technology; GROHE (Germany) infra-red electronic flushing control with manual actuation comprising with 3.1/4.6LPF concealed flushing cistern in AC Supply , 1.13M installation height; Skate Cosmopolitan ABS wall plate for pneumatic discharge valve in the vertical orientation during installation; Inlet Set included; 3/4.6 LPF in WELS Grade 1; Registration No.: WC 20-0010 & WC 21-0135	TF3229 + 640000S + 37419SDO + 38661000 + 37102SHO	100	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF3229_640000S_37419SDO_38661000_37102SHO_Grade1_WSD.pdf
WB1	Washbasin	American Standard (Thailand) "Acacia Evolution" Vitreous china semi-countertop wash basin; tested on BS1188:1974 & BS3402:1969; test report J27468 W460mm x L500mm x H181mm	TF0519	100	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF0519.pdf
F1	Faucet	GROHE (Germany) "Euroeco Cosmopolitan E" Infra-red electronic basin tap 1/2 in DC Supply ; nominated flow rate 1.8 L/min in WELS Grade 1 ; Registration No. TN 18-0007 W44mm x L140mm x H107mm	36271000	100	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/36271000_DC_Grade1_WSD.pdf
F2	Faucet	GROHE (Germany) "Grotherm" Exposed chrome plated push button thermostatic bath and shower mixer with swivel bath spout 3 sprays hand shower (27239000); nominated flow rate 7.2 L/min in WELS Grade 1; Registration No. SB 10-0014	34718000 + 27243001	30	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/34718000-27243001_Grade1_WSD.pdf





Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for Standard Wards of Baptist Hospital (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
UR1	Urinal	American Standard (Thailand) "Active" Vitreous china wall hung back inlet urinal bowl ; Water flush volume 1.5 litres/cycle in WELS Grade 1 ; Registration No. 1U 20-0007 W344mm x L299mm x H571mm	TF6728B	40	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF6728B_Grade1.pdf
UR2	Urinal	Inax / Lixil (Japan) Built-in urinal sensor with black glass cover ; hydro-generated power ; battery operated ; Water flush volume 1.3 litres/cycle in WELS Grade 1 ; Registration No. 1U 18-0020 W115mm x L140mm x H115mm	AMU-132SM-HK	40	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/AMU-132SM-HK(Inax-Lixil)_Grade1_WSD.pdf
DT1	Disable Suite	American Standard (Thailand) "Tonic New Wave" Vitreous china close-coupled integrated real-P trap watercloset with disabled lever and top disabled-logo manual override button; Operating force of flushing control less than 22N ; test report J24270 ; complied with Barrier Free Access 2008; 6 LPF in WELS Grade 3; Registration No. WC 21-0167 W400mm x L690mm x H810mm	TF2102PD	20	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/TF2102PD_Grade3_WSD_22N_TEST.pdf
DT2	Disable Suite	Star (Thailand) "Junior Curve" Wall hung lavatory with 1-1/4 inch plastic anti-syphon bottle trap; chrome plated brass 1-1/4 inch. waste slotted and elbow action tap for disabled; Nominal flow rate 1.9 l/min in WELS Grade 1; Registration No. TN 19-0048 ; operating force of flushing control less than 22N ; test report J24302; BSEN 14688:2006; capable of carrying a static load of 150kg; test report J26109; complied with BFA2008 W320mm x L450mm x H145mm	S-4408 + 505-21 + 1010 + EM9010.010	20	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/S-4408_505-21_1010_EM9010_010_Grade1_WSD_22N.pdf





Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for Standard Wards of Baptist Hospital (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
DT3	Disable Suite	EMCA (Taiwan) Ø34 x 600 x 600mm long white ABS coated aluminium L-Shape grab bar, GB 175-2007 ; capable of carrying a static loading test 150kg ; test report J23741 ; Antibacterial coating ; test report SN-00-233 ; complied with Barrier Free Access 2008 W600mm x L600mm x H38mm	EM7044.019	20	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM7044_019_TestReport.pdf
DT4	Disable Suite	EMCA (Taiwan) Ø34 x 750mm long white ABS coated aluminium hinged support handrail with anti-slip surface ; BS12:1978 & BS882:1973 ; capable of carrying a static loading test 150kg ; test report J17177 ; Antibacterial coating ; test report SN-00-233 ; complied with Barrier Free Access 2008 W104mm x L750mm x H204mm	EM7042.019	20	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM7042_019_TestReport.pdf
DT5	Disable Suite	EMCA (Taiwan) Ø34 x 750 x 900mm long white ABS coated aluminium horizontal grab bar ; wall to wall type ; GB 175-2007 ; capable of carrying a static loading test 150kg ; test report J23881 ; Antibacterial coating ; test report SN-00-233 ; complied with Barrier Free Access 2008 W750mm x L900mm x H34mm	EM7045.019	20	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM7045_019_TestReport.pdf
DT6	Disable Suite	EMCA (Taiwan) "DTPP" Ø34 mm 2U type ABS coated aluminium urinal grab bar ; GB 175-2007 ; capable of carrying a static loading test 150kg ; test report J24249r1 ; Antibacterial coating ; test report SN-00-233 ; complied with Barrier Free Access 2008 W551mm x L900mm x H600mm	EM7043.019-900	40	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM7043_019-900(new).pdf

Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for Standard Wards of Baptist Hospital (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
DT7	Disable Suite	EMCA (Taiwan) Folding up shower seat with 9 PP anti-bacterial slabs & 435mm adjustable legs up to 595mm; Stainless Steel 304 hinge W552mm x L458mm x H595mm	EM7048.217	20	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM7048_217.pdf
DT8	Disable Suite	GROHE (Germany) "Euroeco Special" Chrome plated single lever length 120mm shower mixer W70mm x L218mm x H150mm	32780000	20	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/32780000_WSD.pdf
DT9	Disable Suite	EMCA (Taiwan) Ø34 x 600mm long white ABS coated aluminium grip grab rail with shower holder ; BS12:1978 & BS882:1973 ; capable of carrying a static loading test 150kg ; test report J17175 ; Antibacterial coating ; test report SN-00-233 ; complied with Barrier Free Access 2008 ; with "Genie" Single functions petal pressure hand spray ; nominated flow rate 8.4 L/min in WELS Grade 1; Registration No. SB 18-0222 ; and "Silverflex" 1750mm flexible hose	EM7041.019 + EM8013.040 + FFASS505-000600B + 28388000	20	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/EM7041_019_EM8013_040_FFASS505_000600BF0_28388000_Grade1.pdf
AC1	Accessories	Mediclinics (Spain) toilet paper dispenser, industrial roll, stainless steel AISI 304 Satin finish W129mm x L310mm x H310mm	PR2787CS	100	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/PR2787CS.pdf

Project: Proposed Schedule of Supply of Sanitary Wares and Fittings for Standard Wards of Baptist Hospital (Vertical Demo Version)

Code	Item	Description	Model No	Qty	Supplier	Product Image	Specification Link
AC2	Accessories	Bobrick (USA) Toilet Seat Cover Dispenser W50mm x L400mm x H280mm	B-221	100	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/B-221.pdf
AC3	Accessories	Bobrick (USA) Surface mounted waste receptacle W320mm x L420mm x H585mm	B-275	100	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/B-275.pdf
AC4	Accessories	Bobrick (USA) Surface mounted sanitary napkin disposal W95mm x L190mm x H255mm	B-270	100	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/B-270.pdf
AC5	Accessories	Solomon (Taiwan) sensor soap dispenser W120mm x L113mm x H265mm	SSD-9309	100	Acme Sanitary Ware Co. Ltd Mr. Eric Wong / Don Yuen acme@acmesanitary.com.hk T. 2388-7171		http://www.acmesanitary.com.hk/Product%20Photo/files/roughin_dl/SSD-9309.pdf

The above sanitary and fittings schedule is for the demonstration purpose. We are welcome to provide the tailor-made schedules for professionals as per site conditions
Please contact "**ACME PROJECT SALES TEAM**" for further inquiries

PRODUCT BRAND LIST



www.acmesanitary.com.hk



acme@acmesanitary.com.hk



(852) 5548 4366 (WhatsApp)

ACME OFFICE - PROJECT SALES TEAM

益美工程項目銷售部

Projects - Tenders, Residential and Commercial A&A works, ASD jobs, etc

Office Address : 1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong (Jordan MTR Station Exit B2)

Office Hours : Monday - Friday 9:00a.m. - 6:00p.m.
Saturday 9:00a.m. - 1:00p.m.

Contact Persons : Mr.Eric Wong / Mr.Don Yuen

Telephone : (852) 2388 7171

Fax : (852) 2710 8012

PART OF **LIXIL**

NOBILIS

Star
SANITARYWARE

Alessi

stern

EMCA

SIAMP

■ GEBERIT

SLOAN®

DELABIE

ANSPORN®

NEOPERL®

WDI

BOBRICK

mediclinics



Omoio

FASTDRY

M'ALPINE

SHIRES
BATHROOMS

SOLOMON

IDECOR

BUMIHAN

dyson

starmix