



# Acme Sanitary Ware Co Ltd



Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong  
 Tel: 2388 7171 Fax: 2710 8012  
 E-mail: acme@acmesanitary.com.hk  
 Website: www.acmesanitaryware.com.hk



Pure Freude  
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	GROHE (Germany) "Eurocube Joy" Single-lever chrome plated free stand FeatherControl bath & shower mixer with separate concealed body 29038001	Illustration/ Drawing 
Dimensions	L298 x W170 x H985 mm	
Model	23667001 (Bath & shower mixer) 29038001 (Concealed body)	
Finish	Chrome Plated	
Country of origin	Germany	
Manufacturer	GROHE Limited	
Supplier	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen	
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012	
E-mail	acme@acmesanitary.com.hk	
Website	www.acmesanitary.com.hk	
<b>"Eurocube Joy"</b> <b>Single-lever bath mixer 1/2" , floor mounted</b>  <ul style="list-style-type: none"><li>· set for final installation for 45 984 001</li><li>· without roughing-in-set</li><li>· <b>GROHE FeatherControl</b> Joystick cartridge</li><li>· <b>GROHE StarLight</b> finish</li><li>· automatic diverter: bath/shower</li><li>· spout with mousseur</li><li>· hand shower Euphoria Cube+ 6.6 l/min</li><li>· Silverflex shower hose 1250 mm (28 362)</li><li>· projection 298 mm</li><li>· integrated non-return valve in the shower outlet 1/2"</li><li>· with shower holder</li><li>· protected against backflow</li></ul>		<b>Rough-in set 1/2"</b>  <ul style="list-style-type: none"><li>· for floor-mounted bath mixers/spouts and shower mixers</li><li>· without finishing trim set</li><li>· installation plate with 360° horizontal and 3° vertical adjustment</li><li>· installation depth 53-157 mm</li><li>· installation depth 65-157 mm for shower mixers, depth compensation 92 mm</li><li>· two 1/2" female connections (hot/cold supplies)</li><li>· flushing plug</li><li>· acoustic isolation mat</li><li>· gasket</li><li>· fixing material</li></ul>
		

Note: [GROHE Eurodisc Joy](https://www.youtube.com/watch?v=j7ulmjQH4eM) <https://www.youtube.com/watch?v=j7ulmjQH4eM>

\* All information of the above is for the reference only. No prior notice is made if any changes.



## Acme Sanitary Ware Co Ltd

Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong  
 Tel: 2388 7171 Fax: 2710 8012  
 E-mail: acme@acmesanitary.com.hk  
 Website: www.acmesanitaryware.com.hk



Pure Freude  
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

# SANITARY WARE SPECIFICATION SHEET

26467000

"Euphoria Cube+ Stick"

Hand shower 1 spray

- Normal spray
- material: metal
- **GROHE EcoJoy** 6.6 l/min flow limiter
- **GROHE DreamSpray** perfect spray pattern
- **GROHE StarLight** chrome finish
- **SpeedClean** anti-limescale system
- **Inner WaterGuide** for a longer life
- Universal Mounting System. Fits all standard shower hoses



### GROHE EcoJoy with water-saving function for reduced consumption

GROHE EcoJoy reduces water consumption by up to 50% without compromising on performance. Whenever you turn on your tap, you will enjoy a full jet of water while saving money nonetheless.



### GROHE DreamSpray for luxurious showering

The GROHE DreamSpray technology turns your daily shower into a luxuriously relaxing experience. The advanced engineering of the shower head ensures a balanced flow of water from all nozzles, whatever spray pattern you choose.



### SpeedClean: easy cleaning thanks to silicone nozzle


Indeed, the name says it all: with the SpeedClean technology, you'll have limescale removed from the spout in the blink of an eye thanks to a nozzle made of silicone. A quick wipe with your fingers is all it takes to remove any limescale deposits, saving you a lot of time and effort!



### Coating protected by Inner WaterGuide

A strong insulation of the water guide inside the shower prevents its surface from heating up, so it will never be too hot for you to touch. At the same time, this serves to protect the finish of your GROHE shower, further enhancing its great durability.

### GROHE StarLight®



GROHE surface hardness



Chrome PVD

GROHE scratch resistance



Chrome PVD

Note: [YouTube \(grohe 26467000\) https://www.youtube.com/watch?v=JGu8g32davk&feature=youtu.be](https://www.youtube.com/watch?v=JGu8g32davk&feature=youtu.be)

\* All information of the above is for the reference only. No prior notice is made if any changes.



## Acme Sanitary Ware Co Ltd

Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong  
Tel: 2388 7171 Fax: 2710 8012  
E-mail: acme@acmesanitary.com.hk  
Website: www.acmesanitaryware.com.hk



Pure Freude  
an Wasser

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	


## SANITARY WARE SPECIFICATION SHEET

28362000

"Silverflex"

### Shower hose Twistfree 1250

- 1250 mm
- smooth surface for easy cleaning
- tensile strength 500 N
- pressure resistance up to 5 bar
- heat resistance 70°C
- **AntiFold** bendproof
- **Universal connection** G 1/2" x 1/2"
- rotation cone for **Twistfree**-function
- **GROHE StarLight** chrome finish
- **blister pack**



Smooth joystick handling for effortless precision and ultimate convenience to last a lifetime. The brand new GROHE FeatherControl cartridge brings joystick control to a whole new level. Using state-of-the-art coated ceramic discs and an innovative sealing, the GROHE engineers have created a joystick cartridge with a wider volume and temperature angle – for a more precise control – with the same silky smooth operation as our renowned GROHE SilkMove® cartridge.

Only GROHE mixers deliver the unique GROHE FeatherControl experience. The solid smooth handling of our joystick-lever mixers perfectly expresses the quality and superiority of our brand.brand.




The wide FeatherControl temperature angle ensures more precise temperature control.



Effortless fingertip control and silky smooth operation, thanks to the superior ceramic disc-coating.

Even after years FeatherControl guarantees the same smooth operation as on day one.



### Note:

\* All information of the above is for the reference only. No prior notice is made if any changes.