



Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong

Tel: 2388 7171 Fax: 2710 8012










Email: acme@acmesanitary.com.hk

Website: www.acmesanitary.com.hk

DELABIE

PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	Delabie (France) "TEMPOSOFT 2" Wall mounted self-closing basin tap; nominated flow rate 3.3 L/min in WELS Grade 2 ; Registration No. TN 20-0082	Illustration/ Drawing
Model	741500	
Finish	Chrome Plated	
Material	Brass	
Manufacturer	Delabie (France)	
Source	Acme Sanitary Ware Co. Ltd Mr. Eric Wong/ Mr. Don Yuen	
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012	
E-mail	acme@acmesanitary.com.hk	
Website	www.acmesanitary.com.hk	
DESCRIPTION TEMPOSOFT 2 Ref. 741500 Wall-mounted time flow basin tap: Soft-touch operation. Time flow ~7 seconds. Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.5 to 6 lpm. Tamperproof scale-resistant flow straightener. Solid chrome-plated brass body M1/2". L. 110mm Supplied with red and blue markers.		
TECHNICAL FEATURES TEMPOSOFT 2 - Ref. 741500		
Connector	M1/2"	ADVANTAGES  Soft-touch operation  Water savings up to 85 %  Smooth design
Technology	Time flow	
Spout length	110mm	
Flow rate	3 lpm	
Standards and certifications	  	
Warranty		

Note:

* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.):

TN 20-0082



自願參與用水效益標籤計劃 - 水龍頭
Voluntary Water Efficiency Labelling Scheme - Water Taps



茲證明
This is to certify that

將下列水龍頭在本計劃內註冊：
has registered the following water tap under this scheme :

牌 子 / Brand	:	Delabie
型 號 / Model	:	741500
種 類 / Type	:	Non-mixing
原產地 / Country or Region Origin	:	France

在用水效益標籤上展示的標誌

Symbolic Presentation on the Water Efficiency Label

:



滴水點

Water droplet(s)

用水效益級別

Water Efficiency Grade

:

2

with additional merit*

耗水量

Water Consumption

:

3.3

公升/分鐘

litres/minute

*with additional merit of "Automatic closing mechanism"

簽發日期:

Date of Issue:

30 November 2020



水務署

Water Supplies Department



水務署署長(張業駒代行)
for Director of Water Supplies



水務署
Water Supplies Department

總部 Headquarters



士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號
Our ref.
來函檔號
Your ref.

3321/2023 T/J(490/2023)

電話
Tel.
傳真
Fax. : 2824 0578

24 August 2023



Approval of “DELABIE” Self Closing Tap (General Acceptance No. B20230010)

Your letter ref. 741500 dated 9 May 2023 and subsequent submissions received by this department up to 3 August 2023 refer.

It is noted that the fitting described below has been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed. This Authority accepts that the fitting described below based on the WRAS certificate and test report ref. J28689r1 issued on 5 June 2023 by Nutek Systems (HK) Limited complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Delabie SAS
Country of Origin: France
Brand: Delabie
Details of Fitting: 1/2" Self closing tap
Model: 741500
Body Markings: **DELABIE**



WRAS Approval Number: 2304075

Installation Requirements: R001, R040

(Appendix A of WRAS approval letter refers)

Expiry Date: 15 March 2028

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.”

A condition of this acceptance is that the fitting to be installed should be replicas of the sample certified by WRAS and no modification should be made to the fitting. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only