

**Acme Sanitary Ware Co Ltd**

Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong  
 Tel: 2388 7171 Fax: 2710 8012  
 E-mail: acme@acmesanitary.com.hk  
 Website: www.acmesanitaryware.com.hk

*American Standard*

|          |  |      |  |     |           |  |
|----------|--|------|--|-----|-----------|--|
| PROJECT  |  | REF  |  | REV | ITEM CODE |  |
| LOCATION |  | DATE |  |     | PAGE      |  |

**SANITARY WARE SPECIFICATION SHEET**

|  |  |  |                             |      |      |     |     |     |                      |      |      |      |      |
|--|--|--|-----------------------------|------|------|-----|-----|-----|----------------------|------|------|------|------|
| Item Descriptions  | American Standard (PRC) "Concept"<br>Chrome plated basin mixer; nominated flow rate <b>4.8 L/min</b> in WELS Grade 1;<br>Registration No. TM 18-0056 | <div>Illustration/ Drawing</div> <div></div> |                             |      |      |     |     |     |                      |      |      |      |      |
| Dimensions   | L105 x W50 x H111 mm   |  |                             |      |      |     |     |     |                      |      |      |      |      |
| Model  | CF-1401.101.50 (Mixer)<br>64647040 (Aerator)   |  |                             |      |      |     |     |     |                      |      |      |      |      |
| Finish   | Chrome Plated  |  |                             |      |      |     |     |     |                      |      |      |      |      |
| Manufacturer   | American Standard (PRC)  |  |                             |      |      |     |     |     |                      |      |      |      |      |
| Source   | Acme Sanitary Ware Co. Ltd<br>Mr. Eric Wong/ Mr. Don Yuen  | <div></div>                                  |                             |      |      |     |     |     |                      |      |      |      |      |
| Contact Tel/Fax  | (852) 2388-7171 / (852) 2710-8012  |  |                             |      |      |     |     |     |                      |      |      |      |      |
| E-mail   | acme@acmesanitary.com.hk   |  |                             |      |      |     |     |     |                      |      |      |      |      |
| Website  | www.acmesanitary.com.hk  |  |                             |      |      |     |     |     |                      |      |      |      |      |
| <div></div> <table><tr><td>Dynamic flow pressure (kPa)</td><td>50</td><td>150</td><td>250</td><td>350</td><td>500</td></tr><tr><td>Flow rate (l / min )</td><td>2.60</td><td>4.40</td><td>4.95</td><td>5.00</td><td>5.35</td></tr></table> |  |  | Dynamic flow pressure (kPa) | 50   | 150  | 250 | 350 | 500 | Flow rate (l / min ) | 2.60 | 4.40 | 4.95 | 5.00 |
| Dynamic flow pressure (kPa)  | 50   | 150  | 250                         | 350  | 500  |     |     |     |                      |      |      |      |      |
| Flow rate (l / min )   | 2.60   | 4.40   | 4.95                        | 5.00 | 5.35 |     |     |     |                      |      |      |      |      |

Note: Equivalent to WF-1401.101.50 / FFAS1401-101500BC0

\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TM 18-0056



自願參與用水效益標籤計劃 - 水龍頭  
Voluntary Water Efficiency Labelling Scheme - Water Taps



註冊證書

Registration



茲證明

This is to certify that

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme:

|                                |   |                           |
|--------------------------------|---|---------------------------|
| 牌子 / Brand                     | : | American Standard         |
| 型號 / Model                     | : | CF-1401.101.50 + 64647040 |
| 種類 / Type                      | : | Mixing                    |
| 原產地 / Country or Region Origin | : | China                     |

在用水效益標籤上展示的標誌

Symbolic Presentation on the Water Efficiency Label :



滴水點

Water droplet(s)

用水效益級別

Water Efficiency Grade :

1

耗水量

Water Consumption :

4.8

公升/分鐘

litres/minute

簽發日期：  
Date of Issue: 9 March 2018



水務署

Water Supplies Department



水務署署長(周世威代行)  
for Director of Water Supplies



道七號入境事務大樓 48 樓

ation Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2021 T/J(94/2021)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

15 April 2021

Dear Sir,

**Approval of "AMERICAN STANDARD" Basin Mixer  
(General Acceptance No. C20210380)**

Your letters ref. WRC/2435 and C-WSD/0750 dated 10 December 2020 and 1 April 2021 respectively refer.

Having considered the test report ref. J25348r2 issued on 19 February 2021 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Jiangmen LIXIL AS Sanitary Fitting Manufacturing Co Ltd  
**Country of Origin:** the Mainland of China  
**Brand:** American Standard  
**Details of Fitting:** 1/2" Single lever basin mixer  
**Model:** CF-1401.101.50  
**Body Markings:** *American Standard*  
**Expiry Date:** 24 May 2025





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(Roger WONG)

for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82    ] - without catalogue  
             ME/MC            ] - with soft copy only