

American Standard

PROJECT	REF	REV	ITEM CODE	$\bigcirc$
LOCATION	DATE		PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	American Standard (Korea) "PLAT" Chrome	Illustration/ Drawing
*	plated 1/2" single lever basin mixer	
Dimensions	Refer to drawing	
Model	FA1674-0GAK111AA	
Material/Finish	Chrome Plated	
Manufacturer	American Standard (Korea)	96
Source	Acme Sanitary Ware Co. Ltd	
	Mr. Eric Wong/ Mr. Don Yuen	
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012	
E-mail	acme@acmesanitary.com.hk	
Website	www.acmesanitary.com.hk	
the actual measurements may var • Water Saving: Conserving water is as important ecological and economical senses better future we have.	and additional items is excluded, and Pb	OIFXWM OFF OFF OFF OFF OFF OFF OFF OF
Note:	naraan Chanadhar	

Note:

\* All information of the above is for the reference only. No prior notice is made if any changes.



## 水務署 Water Supplies Department

總部 Headquarters 香港灣仔告士打道七號入境事務大樓 48 樓 48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號 Your ref.

(4) in WSD 3321/19 T/J(805/2019)



## Approval of "AMERICAN STANDARD" Basin Mixer (General Acceptance No. C20190473)

Your letters ref. C-WSD/0522 and C-WSD/0528 dated 8 August 2019 and 4 September 2019 respectively refer.

Having considered the test report ref. J23564rl issued on 5 August 2019 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:	American Standard
Country of Origin:	Korea
Brand:	American Standard
Details of Fitting:	1/2" Single lever basin mixer
Model:	FA1674-0GAK111AA
Body Markings:	American Standard
Expiry Date:	15 October 2023





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

> "The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHEUNG Yip-kui) for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue ME/MC ] - with soft copy only

General Acceptance No. C20190473