

Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk

American Standard

PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

	T				
Item Descriptions	American Standard (PRC) "EasySET" Innovative				
	exposed push button thermostatic shower mixer				
	with adjustable flow rate, life cycle >300,000 times				
	& swivel bath spout to provide the space flexibility				
	and ease of use; Germany thermostatic cartridge;				
	anti-scald safestop button; brushed hard graphite				
	shower head and 3 functions hand spray with				
	instinctive button for switching between spray				
	modes; PVC twist-free shower hose; built-in two side				
	hooks				
 Model	FFAS4956-601AL0BC0				
Wiodei	11'A54930-001AL0DC0				
Finish / Material	Brushed Hard Graphite / Brass				
Manufacturer	American Standard (PRC)				
Supplier	Acme Sanitary Ware Co. Ltd				
Бирриег					
	Mr. Eric Wong/ Mr. Wilson Hung				
Contact Tel/Fax	(852) 2388-7171 / (852) 2710-8012				
E-mail	acme@acmesanitary.com.hk				
Website	www.acmesanitary.com.hk				

FEATURES

- · Germany thermostatic cartridge
- · Anti-scald safestop button
- Push button cartridge with flow rate adjustable from Japan, lifecycle≥300,000 times
- · Plastic body with cool touch design, no risk of scalding on the body
- Designed with a shelf space for storage function
- Side Hook on both side, as a shower accessories and drain the water on the top of Casting brass spout, rotate to divert the water to hand shower and spout
- 3-functions Rain Click hand shower, instinctive button for switching between spray modes
- PVC Silver twist-free shower hose
- · With easy glide shower holder
- · With normal packaging
- 307*189 rectangle head shower, with air-in function

PUSH

Imagine a rejuvenating shower experience as intuitive and simple as breathing. From the cascading water from the Rainshower to the invigorating Hand Shower, all activated individually with a simple push of a

TURN

Be in total control of both the temperature and volume of the water to create your own perfect shower. Choose a stronger flow of water to ease muscle tensions or a more sensuous flow for that relaxing spa-like pampering. All with an easy turn of the dial.



^{*} All information of the above is for the reference only. No prior notice is made if any changes.



Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk

American Standard

PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET



Note:

^{*} All information of the above is for the reference only. No prior notice is made if any changes.



Acme Sanitary Ware Co. Ltd.

1/F, Acme Building, 22-28 Nanking Street, Kowloon, Hong Kong Tel: 2388 7171 Fax: 2710 8012 Email: acme@acmesanitary.com.hk Since 1949 Website: www.acmesanitary.com.hk

American Standard

PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET



PUSH & TURN

Dial adjusts water volume easily and offers daily convenience at the push of a button.



THERMOCOMFORT

Provides a constant and comfortable temperature.



EASYGLIDE

Hand shower holder that allows you to easily adjust its height, single-handedly.



THERMOSAFE

Safety temperature control up to 49°C, with an auto shut-off function when cold water supply fails.



EASYCLICK

An instinctive button for switching between spray modes.



SPACECREATE

Creates extra usable space in the bathroom.



SWIVEL 360°

360° spout provides space flexibility and ease of use,



AIRNERGIZE

Air-infused water provides a luxurious shower experience while using lesser water.



COOLSHIELD

Body of faucet stays cool and prevents scalding shocks.







٦	⊾ т		
ı	N	\mathbf{C}	tΔ
	N	١,	11.

^{*} All information of the above is for the reference only. No prior notice is made if any changes.